


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (withdrawn): A medicine for the prevention or treatment of urinary frequency or incontinence, which comprises combination of a phenoxyacetic acid derivative represented by a general formula:



wherein R1 represents a hydroxy group or a lower alkoxy group, or a pharmaceutically acceptable salt thereof, or a hydrate or solvate thereof and an α 1-adrenoceptor blocker.

2. (withdrawn): A medicine as claimed in claim 1 wherein the phenoxyacetic acid derivative represented by the general formula (I) is ethyl (-)-2-[4-[2-[[[(1S, 2R)-2-hydroxy-2-(4-hydroxyphenyl)-1-methylethyl]amino]ethyl]-2,5-dimethylphenoxy]acetate.

3. (withdrawn): A medicine as claimed in claim 1 or 2 wherein the α 1 adrenoceptor blocker is silodosin, tamsulosin, prazosin, terazosin or naftopidil, or pharmaceutically acceptable salt thereof.

AMENDMENT/RESPONSE TO ELECTION/RESTRICTIONS

Application No.: 10/599,203

Attorney Docket No.: Q96974

4. (withdrawn): A medicine as claimed in claim 3 wherein the $\alpha 1$ adrenoceptor blocker is silodosin or tamsulosin, or a pharmaceutically acceptable salt thereof.

5. (withdrawn): A medicine as claimed in claim 3 wherein the dosage of prazosin or a pharmaceutically acceptable salt thereof is 1 to 12 mg/day as oral dose of prazosin hydrochloride for an adult human.

6. (withdrawn): A medicine as claimed in claim 3 wherein the dosage of naftopidil or a pharmaceutically acceptable salt thereof is 25 to 150 mg/day as oral dose of naftopidil for an adult human.


7. (withdrawn): A medicine as claimed in claim 4 wherein the dosage of silodosin or a pharmaceutically acceptable salt thereof is 1 to 16 mg/day as oral dose of silodosin for an adult human.

8. (withdrawn): A medicine as claimed in claim 4 wherein the dosage of tamsulosin or a pharmaceutically acceptable salt thereof is 0.1 to 0.8 mg/day as oral dose of tamsulosin hydrochloride for an adult human.

9. (withdrawn): A combination formulation for the prevention or treatment of urinary frequency or incontinence, which comprises a phenoxyacetic acid derivative represented by the general formula (I) as claimed in claim 1 or a pharmaceutically acceptable salt thereof, or a hydrate or solvate thereof and an $\alpha 1$ -adrenoceptor blocker.

10. (withdrawn): An enhancing agent of an efficacy of a phenoxyacetic acid derivative represented by the general formula (I) as claimed in claim 1 or a pharmaceutically acceptable salt thereof, or a hydrate or solvate thereof for the prevention or treatment of urinary frequency or incontinence, which comprises as an active ingredient an α 1-adrenoceptor blocker.

11. (currently amended): A method for the prevention or treatment of urinary frequency or incontinence, characterized by ~~administering~~using a phenoxyacetic acid derivative represented by ~~the~~a general formula (I):



wherein R1 represents a hydroxy group or a lower alkoxy group,~~as claimed in claim 1~~ or a pharmaceutically acceptable salt thereof, or a hydrate or solvate thereof in combination with an α 1-adrenoceptor blocker.

12. (new): A method as claimed in claim 11 wherein the phenoxyacetic acid derivative represented by the general formula (I) is ethyl(-)-2-[4-[2-[(1S,2R)-2-hydroxy-2-(4-hydroxyphenyl)-1-ethylethyl]amino]ethyl]-2,5-dimethylphenoxy]acetate.

13. (new): A method as claimed in claim 11 or 12 wherein the α 1 adrenoceptor blocker is silodosin, tamsulosin, prazosin, terazosin or naftopidil, or pharmaceutically acceptable salt thereof.

AMENDMENT/RESPONSE TO ELECTION/RESTRICTIONS

Application No.: 10/599,203

Attorney Docket No.: Q96974

14. (new): A method as claimed in claim 13 wherein the α_1 adrenoceptor blocker is silodosin or tamsulosin, or a pharmaceutically acceptable salt thereof.

15. (new): A method as claimed in claim 13 wherein a dosage of prazosin or a pharmaceutically acceptable salt thereof is 1 to 12 mg/day as oral dose of prazosin hydrochloride for an adult human.

16. (new): A method as claimed in claim 13 wherein a dosage of naftopidil or a pharmaceutically acceptable salt thereof is 25 to 150 mg/day as oral dose of naftopidil for an adult human.

17. (new): A method as claimed in claim 14 wherein a dosage of silodosin or a pharmaceutically acceptable salt thereof is 1 to 16 mg/day as oral dose of silodosin for an adult human.

18. (new): A method as claimed in claim 14 wherein a dosage of tamsulosin or a pharmaceutically acceptable salt thereof is 0.1 to 0.8 mg/day as oral dose of tamsulosin hydrochloride for an adult human.